

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2773	"370"/216,227,228,238,395.41.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/17 08:04
L2	2814	L1 or S56b	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/17 08:04
L3	7846	709/227,237,238,239,241.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/17 08:11
L4	10403	L1 or L3	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/17 08:11
L5	1828	4 (algorithms)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	OFF	2007/04/17 08:11
L6	108	5 ((cross adj connect\$3) or (cross-connect))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	OFF	2007/04/17 08:12
L7	74	6 (restoring or restoration)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	OFF	2007/04/17 08:24
L8	13	7 (glar\$3 or contention or contend\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	OFF	2007/04/17 08:13

## EAST Search History

L9	11	7 ((lowest or minimum or smallest) near2 bandwidth)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	OFF	2007/04/17 08:25
S1	2	10/635935	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:51
S2	0	10/634935	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:51
S3	0	10/634935	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:57
S4	3	09/909102	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 14:00
S5	1	11/154792	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 14:01
S6	1	11/154792	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 14:01
S7	0	10/330893	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 16:34

## EAST Search History

S8	1061	370/216.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 12:49
S9	536	370/217.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 16:34
S10	2344	370/465.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:25
S11	188	S10 ((select or choose) near2 (link or path or route or channel))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 09:03
S12	8	S10 ((select or choose) near2 (link or path or route or channel) same algorithm)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 08:51
S13	575	interleav\$3 near2 algorithm	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 08:52
S14	43	S13 ((select or choose) near2 (link or path or route or channel))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 08:57
S15	641	370/395.21.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 09:46

## EAST Search History

S16	80	S15 ((select or choose) near2 (link or path or route or channel))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 09:04
S17	44	S15 ((select or choose) near2 (link or path or route or channel) and algorithm)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 09:47
S18	1745	370/230.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 09:47
S19	88	S18 ((select or choose) near2 (link or path or route or channel) and algorithm)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 13:12
S20	0	((select or choose) near2 (link or channel) samealgorithm)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 13:13
S21	876	((select or choose) near2 (link or channel) same algorithm)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 13:24
S22	2773	((select\$3 or choos\$3) near2 (link or channel) same algorithm)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:25
S23	52	S22 ((restor\$3 or restoration) near2 (link or channel))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 13:26

## EAST Search History

S24	1061	370/216.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:25
S25	9	S24 ((select\$3 or choos\$3) near2 (link or channel) same algorithm)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 08:53
S26	1	10/628265	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 10:04
S27	8	(US-20030076840-\$).did. or (US-7127056-\$ or US-6842463-\$ or US-6778535-\$ or US-6633569-\$ or US-6594235-\$ or US-6490287-\$ or US-6215763-\$).did.	US-PGPUB; USPAT	OR	ON	2007/04/16 09:38
S28	2	S27 (contention and minimum)	US-PGPUB; USPAT	AND	ON	2007/04/16 11:52
S29	0	10/634935	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 10:33
S30	573	((best-fit) or (best adj fit)) near2 (algorithm)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 10:34
S31	0	S30 ((interleav\$3) near2 algorithm)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 10:35
S32	575	((interleav\$3) near2 algorithm)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 10:35

## EAST Search History

S33	575	((interleav\$3 or inter-leav\$3) near2 algorithm)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 10:39
S34	0	S30 and S33	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 10:36
S35	4320	((bestfit) or (best-fit) or (best adj fit)) near3 (algorithm)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 10:39
S36	0	S35 ((interleav\$3 or inter-leav\$3) near2 algorithm)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 10:39
S37	1	S27 (index and indices)	US-PGPUB; USPAT	AND	ON	2007/04/16 12:44
S38	1	S27 (minimum near3 (index and indices)) and (minimum near3 (capacity or bandwidth))	US-PGPUB; USPAT	AND	ON	2007/04/16 12:45
S39	1061	370/216.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 12:50
S40	0	S39 (((best-fit) or (bestfit)) near3 (algorithm or mechanism or technique))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 12:50
S41	175	370/227.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 12:50

## EAST Search History

S42	0	S41 (((best-fit) or (bestfit)) near3 (algorithm or mechanism or technique))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 12:50
S43	770	370/228.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 12:51
S44	1	S43 (((best-fit) or (bestfit)) near3 (algorithm or mechanism or technique))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 12:51
S45	743	370/238.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 12:51
S46	1	S45 (((best-fit) or (bestfit)) near3 (algorithm or mechanism or technique))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 12:51
S47	181	370/395.41.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 12:52
S48	0	S47 (((best-fit) or (bestfit)) near3 (algorithm or mechanism or technique))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 12:52
S49	3806	709/227.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 12:52

## EAST Search History

S50	0	S49 (((best-fit) or (bestfit)) near3 (algorithm or mechanism or technique))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 12:52
S51	604	709/237.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 12:52
S52	0	S50 (((best-fit) or (bestfit)) near3 (algorithm or mechanism or technique))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 12:52
S53	0	S51 (((best-fit) or (bestfit)) near3 (algorithm or mechanism or technique))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 12:54
S54	0	"370"/("216,227,228,238,395.41").ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 12:53
S55	2770	"370"/216,227,228,238,395.41.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 12:53
S56	7831	709/227,237,238,239,241.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 12:54
S57	10385	S55 or S56	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/17 08:11

## EAST Search History

S58	4	S57 (((best-fit) or (bestfit)) near3 (algorithm or mechanism or technique))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 12:55
S59	1	S58 (lowest or smallest or minimum)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 14:11
S60	54	S57 (smalles or lowest or minimum) near2 (capcity or bandwidth) and (index or indice)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 13:14
S61	50	S60 (algorithm or technique or mechanism)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 13:08
S62	4	S61 (interleav\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 13:08
S63	43	S61 (smalles or lowest or minimum) near1 (capcity or bandwidth) and (index or indice)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 13:22
S64	18	S61 (restoration or restor\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 13:58
S65	2	("4956835").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 13:58

## EAST Search History

S66	10	(US-20030076840-\$).did. or (US-7127056-\$ or US-6842463-\$ or US-6778535-\$ or US-6633569-\$ or US-6594235-\$ or US-6490287-\$ or US-6215763-\$ or US-5495471-\$ or US-4956835-\$).did.	US-PGPUB; USPAT	OR	ON	2007/04/16 14:11
S67	5	S66 ((lowest or smallest or minimum) near2 (bandwidth or capacity))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 14:11
S68	2121	S57 (set or group) near2 (links or channels or route or path)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 14:58
S69	475	S68 (restoration or restor\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 14:59
S70	0	S69 (links or channels or route or path) same3 (restoration or restor\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 14:59
S71	409	S69 (algorithm or mechanism or technique)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 15:00
S72	121	S71 ((cross-connect\$3) or (cross adj connect\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 15:02
S73	33	S72 (request\$3 near3 (restoration or restor\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 15:16

## EAST Search History

S74	32	S73 (select\$3 or determin\$3 or choos\$3) near2 (link or path or channel)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 15:46
S75	21577	S74 (best-fit) or (best adj fit)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 15:47
S76	0	S74 ((best-fit) or (best adj fit))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 15:47
S77	0	S74 (interleav\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/16 15:47